PERENNIAL

PROPAGATION

Glechoma hederacea

Variegata

TRAY & ROOTING	
Form	**Unrooted Cuttings**
Rooting Hormone	**No**
Tray Size(s)	**72, 105**
Plants Per Cell	**1**
Wks. From Stick To Transplant	**4-5**
Pinch?	**Yes**
Days from stick to pinch	**14-21**
FERTILITY	
Fertilize Through Mist?	**No**
Fertilizer Rate	**50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])**
EC Range	**Low: (0.8-2.0 mS via SME)**
pH Range	**5.8-6.2**
TEMPERATURE	
Average Soil Temperature	**58-65°F (14-18°C)**
Average Air Temperature	**65-72°F (18-22°C)**
IRRIGATION	
Irrigation Frequency	**Level 3: Keep media moderately moist with mild dry cycles**
LIGHT	
Supplemental	**No**
Benefits From Shade?	**No**

POTENTIAL DISEASES

Botrytis, root rot

POTENTIAL PESTS

aphids, whitefly

PGR SUGGESTIONS

- Optional 5-6 ppm Sumagic (0.055% Uniconazole)
- Optional 1500-2500 B-Nine (85% Daminozide)

CULTIVAR LIST

Variegata



'Variegata'

TIPS

- PGRs are definitely required to keep growth under control in the liner stage.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager
Z.Kovacs@DummenOrange.com
614-850-9551
DummenOrange.com

PERENNIAL

FINISHING

Glechoma hederacea

Variegata

VERNALIZATION	
Vernalization Required?	**Optional**
Vernalization Duration Minimum	**6-8 weeks**
Vernalization Temperature	**35-40°F (1.6-4.4°C)**

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
4 in./qt (10-12 cm)	**1**	**6-8**
6 in./Gal. (15-16 cm)	**2**	**6-8**

FERTILITY	
Fertilizer Rate	**50-100 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])**
EC Range	**Low: (0.8-2.0 mS via SME)**
pH Range	**5.8-6.2**

TEMPERATURE	
Day Temperature	**65-75°F (18-24°C)**
Night Temperature	**55-65°F (13-18°C)**

IRRIGATION	
Irrigation Frequency	**Level 3: Keep media moderately moist with mild dry cycles**

LIGHT	
Photoperiodic requirements	**Long day: 12+ hours daily**
Supplemental?	**None**
Benefits From Shade?	**No**

PINCHING	
Finishing Pinch?	**No**
Transplant to pinch (days)	**N/A**

POTENTIAL DISEASES
Botrytis, root rot

POTENTIAL PESTS
aphids, whitefly

PGR SUGGESTIONS
• 6-8 ppm Sumagic (0.055% Uniconazole)
• 1-2 ppm Bonzi (0.4% Paclobutrazol) Drench

'Variegata'

TIPS

- As soon as pots are full, ship to avoid excessive runners and unnecessary tangle.
- Plant growth habit is improved with vernalization.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager
Z.Kovacs@DummenOrange.com
614-850-9551
DummenOrange.com

PERENNIAL

FEATURES AND BENEFITS

Glechoma hederacea

Variegata

KEY INFORMATION

First Year Flowering?	**Yes**
Bloom Time	**Spring**
Exposure	**Full Sun to Part Shade**
Hardiness Zone	**5-9**
Height	**4-6 inches (10-15 cm)**
Width	**36-48 inches (90-120 cm)**

DESCRIPTION

Glechoma is the perfect option for gardeners interested in an alternative to English ivy. It sports the common name of "ground ivy" for its tendency to spread vigorously as a ground cover, but without the risk of vertical grown onto other plants or structures.

CONSUMER APPEAL

- Although somewhat hidden from sight (designating this plant as foliage interest), the deep lavender blooms of this plant support some bee species.
- Due to its fragrant foliage, deer find this plant unpalatable and avoid it.

GARDEN ATTRIBUTES

- The ideal groundcover or lawn replacement (although not particularly tolerant of foot traffic), this plant is perfect for mass plantings or in containers. Works well under shrubs providing a canvas of textural contrasts.
- Due to its fragrant foliage, deer find this plant unpalatable and avoid it.
- Tolerant of most soil conditions, this plant is drought tolerant once established, especially in part shade locations.

NATIVITY

Originated in Europe and Southwest Asia but has been naturalized across the globe.

COMPANION PLANTS

Buddleia, Eupatorium(Ageratina), Alstroemeria, Aster, Leucanthemum, Scabiosa, Monarda

COMMON NAME(S)

ground ivy, creeping Charlie, catsfoot, field balm, run-away-robin

'Variegata'

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager
Z.Kovacs@DummenOrange.com
614-850-9551
DummenOrange.com