## **PROPAGATION**

# Achillea 'Moonshine'

Achillea clypeolata

# TRAY & ROOTING

Form Unrooted Cuttings (URC)

Rooting Hormone Yes

Tray Size(s) 72, 105

Plants Per Cell 1

Wks. From Stick To

Transplant

4-5

Pinch? No

Days from stick to pinch N/A

### **FERTILITY**

Fertilize Through Mist? No

100-150 ppm N (20-6-22

Fertilizer Bate **or 22-5-16 [15-0-15** 

under low-light conditions])

EC Range Moderate: (2.0-3.5 mS

via SME)

pH Range **5.8-6.2** 

#### **TEMPERATURE**

 $Average\ Soil\ Temperature\ \ \textbf{18-22°C}$ 

Average Air Temperature 18-22°C

#### IRRIGATION

Level 3: Keep media moderately moist with

mild dry cycles

#### LIGHT

Supplemental No

Benefits From Shade? **No** 

POTENTIAL DISEASES

Botrytis

#### POTENTIAL PESTS

aphids, thrips

#### **PGR SUGGESTIONS**

• Optional 300-500 ppm Florel (3.9% Ethephon)



Moonshine



#### TIPS

- As with all vegetative cuttings, sticking upon arrival is ideal. If this isn't possible, store in a cooler at 7°C for no more than 16 hours after delivery.
- Reduce mist as soon as cuttings become turgid (generally 1-2 days after stick). Avoid overmisting and overwatering.

#### WE'RE HERE TO HELP YOU GROW

Robbin den Herder-Product Manager R.denHerder@DummenOrange.com +31 174 530 100

DummenOrange.com

### **FINISHING**

# Achillea 'Moonshine'

### Achillea clypeolata



Vernalization Required? Yes

Vernalization Duration

Minimum

6-8 weeks

Vernalization Temperature 1.6-4.4°C

CONTAINER SIZE PLANTS TRANSPLANT TO PER POT FINISH (WEEKS)	10-12 cm	1	7-9	
	CONTAINER SIZE	,		

10-12 cm 1 7-9 15-16 cm 2-3 8-10

**FERTILITY** 

Fertilizer Rate 150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])

EC Range Moderate: (2.0-3.5 mS via SME)

pH Range **5.5-6.1** 

**TEMPERATURE** 

Day Temperature 13-18°C

Night Temperature 7-13°C

IRRIGATION

Irrigation Frequency

Materiags

Level 2: Allow media to dry

moderately between thorough

waterings

LIGHT

Photoperiodic requirements Long day: 12+ hours daily

Supplemental? Optional Daylength Extension

Benefits From Shade? **No** 

PINCHING

Finishing Pinch? **No** 

Transplant to pinch (days) N/A

#### POTENTIAL DISEASES

Botrytis

#### POTENTIAL PESTS

aphids, thrips

#### **PGR SUGGESTIONS**

• 1-2 ppm Bonzi (0.4% Paclobutrazol) drench as needed





#### **TIPS**

- Vernalization is most effective if completed in pots 4-6 weeks after plants have been transplanted into their finishing container.
- For low growing Achillea, no PGR applications are required.
- If finishing under short days, supplemental lighting may be provided to expedite flowering.
- Saturated soil media should be avoided at all costs.

#### WE'RE HERE TO HELP YOU GROW

Robbin den Herder-Product Manager R.denHerder@DummenOrange.com +31 174 530 100

DummenOrange.com

## FEATURES AND BENEFITS

# Achillea 'Moonshine'

Achillea clypeolata

#### **KEY INFORMATION**

First Year Flowering? **No** 

Bloom Time Spring to Autumn

Exposure Full Sun

Hardiness Zone 4-9

Height 8-15 cm

Width **60 cm** 

#### **DESCRIPTION**

Excellent drought-tolerant garden choice that that's almost impossible to kill.

#### **CONSUMER APPEAL**

- The fragrant inflorescence of Achillea helps to attract multiple pollinators including butterflies and bees.
- Aromatic foliage (similar to that of a Chrysanthemum) is enjoyable to many consumers while adding to its rabbit and deer resistant properties.

#### **GARDEN ATTRIBUTES**

- Yarrow makes an excellent cut flower and an even better dried flower for enjoyment 365 days a year.
- An ideal component of any cottage garden, prairie garden, meadow garden, or a naturalized area. Achillea can be planted by mailboxes, driveways, and roadsides due to its salt tolerance.
- An easy-to-grow prairie-like perennial that tolerates a wide range of conditions but prefers well-drained soil and full sun conditions. Can be grown in clay if not overwatered.
- Plants can be sheared or mowed on a regular basis to promote branching and keep the plant compact and well-behaved.



#### **COMPANION PLANTS**

Salvia, Gaillardia, Perovskia, Lavandula, Oenothera, Nepeta, Penstemon

#### **COMMON NAME(S)**

yarrow, old man's pepper, plumajillo



#### NATIVITY

Achillea is native to the temperate regions of the Northern Hemisphere including Europe, Asia, and North America.

#### WE'RE HERE TO HELP YOU GROW

Robbin den Herder-Product Manager R.denHerder@DummenOrange.com +31 174 530 100

DummenOrange.com