

ANNUAL
PROPAGATION

BACOPA BAHIA

Sutera cordata



TRAY & ROOTING

Form	Vegetative Cutting (URC)
Rooting Hormone?	Yes
Tray Size	
Plants Per Cell	2
Days In Mist	7-10
Wks. From Stick To Transplant	4-5
Propagation Pinch?	Yes
Weeks To Pinch	3

FERTILITY

Fertilize Through Mist?	None
Fertilizer Rate	75-100ppm N
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.2-5.6

TEMPERATURE

Average Soil Temp	18-20°C
Average Air Temp (Day)	20-22°C
Average Air Temp (Night)	18-20°C

IRRIGATION

Irrigation Frequency	Level 2: Allow media to dry moderately between thorough waterings
----------------------	--

LIGHT

Daylength Neutral?	Yes
Supplemental	None
Benefits From Shade?	No

POTENTIAL DISEASES

Botrytis, Rhizoctonia, Pythium

POTENTIAL PESTS

White Fly, Thrips, Fungus Gnats

PGR SUGGESTIONS

- Daminozide
- Ethephon once roots reach the edge of the cell

CULTIVAR LIST

Lavender Blue, Pink Halo, Sky Blue, White, White



TIPS

- Once roots form, discontinue mist and apply fertilizer starting at 75ppm.
- Low light can cause stretch and reduce liner quality.
- Reduce mist as soon as cuttings begin to root, excessive misting will delay rooting and promote Botrytis.

WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

DummenOrange.com

ANNUAL
FINISHING

BACOPA BAHIA

Sutera cordata



CONTAINER SIZE PLANTS PER POT TRANSPLANT TO FINISH (WEEKS)

10-12 cm **1** **5-8**

13-15 cm **2-3** **7-9**

15 cm and up **3** **7-12**

FERTILITY

Fertilizer Rate **150-200 ppm N**

EC Range **Moderate: (2.0-3.5 mS via SME)**

pH Range **5.6-6.2**

TEMPERATURE

Day Temperature **20-24°C**

Night Temperature **18-23°C**

IRRIGATION

Irrigation Frequency **Level 3: Keep media moderately moist with mild dry cycles**

LIGHT

Daylength Neutral? **Yes**

Optimum Light Level **4,000-8,000 fc (43,100-86,100 lux)**

Supplemental **None**

Benefits From Shade? **No**

PINCHING

Finishing Pinch? **Yes**

Transplant to Pinch (days) **As needed to shape**

POTENTIAL DISEASES

Botrytis, Rhizoctonia, Pythium

POTENTIAL PESTS

White Fly, Thrips, Fungus Gnats

PGR SUGGESTIONS

- Daminozide
- Ethephon



TIPS

- A chelated iron fertilizer application may be necessary to fulfill the iron requirement during finish.
- Avoid heavy PGR applications to maximize flower size.
- Uniform water supply is extremely important. Overwatering can cause root diseases and underwatering can cause flowers to abort or fail to develop altogether.
- Pinch established transplants for increased branching when finishing in pots larger than 10cm or if finishing in low light conditions.

WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

DummenOrange.com

ANNUAL
FEATURES AND BENEFITS

BACOPA BAHIA

Sutera cordata



KEY INFORMATION

Primary Common Name	Bacopa
Consumer Watering Instructions	Keep soil evenly moist, but not saturated.
Bloom Time	Blooms Spring to Autumn
Exposure	Full Sun to Full Shade
Height	10-15 cm
Garden Spacing	20-30 cm

DESCRIPTION

Our Bahia series sports a trailing growth habit great for hanging baskets and containers.

CONSUMER APPEAL


- Works well in mixed containers with complementing blooms and foliage textures. Very floriferous throughout the growing season.
- Attracts bees, butterflies, and even hummingbirds.
- Bacopa is a moderately drought tolerant plant that requires no deadheading.

GARDEN ATTRIBUTES

- Ideal for patio containers, but can perform well in some landscapes as well.
- Prefers moist, well drained soils.

NATIVITY

Africa



WE'RE HERE TO HELP YOU GROW

Joel Kempfer - Product Manager

J.kempfer@dummenorange.com

614-850-9551

DummenOrange.com