

ANNUAL
PROPAGATION

PETUNIA PEPPY

Petunia x hybrida



TRAY & ROOTING

Form	Vegetative Cutting (URC)
Rooting Hormone?	No
Tray Size	50, 72, 84, 105
Plants Per Cell	1
Days In Mist	7-10
Wks. From Stick To Transplant	3-4
Propagation Pinch?	Yes
Weeks To Pinch	3

FERTILITY

Fertilize Through Mist?	50-75ppm N
Fertilizer Rate	100-150ppm N
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.5-6.0

TEMPERATURE

Average Soil Temp	70-75°F (21-24°C)
Average Air Temp (Day)	70-75°F (21-24°C)
Average Air Temp(Night)	68-72°F (20-22°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Daylength Neutral?	Yes
Supplemental	None
Benefits From Shade?	No

POTENTIAL DISEASES

Botrytis, Pythium, Rhizoctonia

POTENTIAL PESTS

Aphids, Thrips, Whitefly

PGR SUGGESTIONS

- To stimulate branching and promote uniformity, apply 250 ppm Florel (3.9% Ethephon) as soon as cuttings show roots (as early as day 7).
- Tank mix 250ppm Florel (3.9% Ethephon) + 500ppm B-Nine (85% Daminozide)
- 750ppm B-Nine (85% Daminozide)



TIPS

- After sticking, water the cuttings uniformly to help “seat” them in the soil media. Good soil to stem contact is important for rooting. Over-misting or delayed mist reduction leads to slower rooting and causes iron deficiency.
- Petunias can be pinched in the liner stage to prevent stretch and promote basal branching but the grower must determine if this is necessary.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

ANNUAL

FINISHING

PETUNIA PEPPY

Petunia x hybrida



CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

4 in. (10 cm) and up **1** **3-5**

Gallon (16 cm) **1** **6-8**

10 in. (22 cm) and up **3** **8-12**

FERTILITY

Fertilizer Rate **200-250 ppm N**

EC Range **High: (3.5-5 mS via SME)**

pH Range **5.6-6.2**

TEMPERATURE

Day Temperature **65-73°F (18-23°C)**

Night Temperature **62-64°F (17-18°C)**

IRRIGATION

Irrigation Frequency **Level 3: Keep media moderately moist with mild dry cycles**

LIGHT

Daylength Neutral? **Yes**

Optimum Light Level **5,000-8,000 fc (53,800-86,100 lux)**

Supplemental **None**

Benefits From Shade? **No**

PINCHING

Finishing Pinch? **No**

Transplant to Pinch (days) **N/A**

POTENTIAL DISEASES

Botrytis, Pythium, Rhizoctonia

POTENTIAL PESTS

Aphids, Thrips, Whitefly

PGR SUGGESTIONS

- 500ppm B-Nine (85% Daminozide) + 750ppm Cycocel (11.8% Chlormequat) as a tank mix
- Bonzi (0.4% Paclobutrazol) drench 0.5-1ppm when plants have reached saleable size to tone for retail.



'Plum'

TIPS

- High light and a negative DIF will reduce stretch.
- Fertilizers with increased iron and micronutrients are best.
- Allow media to dry moderately between waterings but do not allow plants to wilt. Avoid saturated media. Petunias are susceptible to root diseases if overwatered.
- Avoid high-rate PGR applications; they can distort the finished habit. Use of PGRs can delay flowering by up to 2 weeks, avoid applications when flower buds are present.
- Pinch after transplant ONLY when liner has not been treated or soft-pinch for shaping.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com

ANNUAL

FEATURES AND BENEFITS

PETUNIA PEPPY

Petunia x hybrida



KEY INFORMATION

Primary Common Name	Petunia
Consumer Watering Instructions	Water thoroughly when top 1 inch (3cm) of soil is dry.
Bloom Time	Blooms Spring to Autumn
Exposure	Full Sun to Part Sun
Height	10-14 inches (25-36 cm)
Garden Spacing	9-12 inches (23-30 cm)

DESCRIPTION

Star petunias with pep and eye-catching varieties. No two flowers are identical making this an interactive series.



'Red'

CONSUMER APPEAL


- More engaging than a classic single-colored petunia, no two flowers are quite the same with 'Peppy' petunias.
- Attractive to both hummingbirds and butterflies.

GARDEN ATTRIBUTES

- A low maintenance series with luxurious flower-power and an appealing growth habit.
- Versatile uses ranging from containers, to hanging baskets, to landscape plantings.
- Consider sheering off 10-15% of the outer foliage during the heat of the summer to promote reblooming.
- Grows from mounding to spreading.

NATIVITY

Of hybrid origin: Petunia genus native to South America.



'Burgundy'

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

DummenOrange.com