

ANNUAL

## PROPAGATION

# CONFETTI GARDEN® TIKTOK®

*Multi-Cultivar Combination*



### TRAY & ROOTING

Form	<b>Vegetative Cutting (URC)</b>
Rooting Hormone?	<b>Yes</b>
Tray Size	<b>50 cell three dibble</b>
Plants Per Cell	<b>3</b>
Days In Mist	<b>5-10</b>
Wks. From Stick To Transplant	<b>4-5</b>
Propagation Pinch?	<b>Yes</b>
Weeks To Pinch	<b>2-3</b>

### FERTILITY

Fertilize Through Mist?	<b>None</b>
Fertilizer Rate	<b>100-150ppm N</b>
EC Range	<b>Moderate: (2.0-3.5 mS via SME)</b>
pH Range	<b>5.6-6.2</b>

### TEMPERATURE

Average Soil Temp	<b>70-75°F (21-24°C)</b>
Average Air Temp (Day)	<b>70-75°F (21-24°C)</b>
Average Air Temp (Night)	<b>65-68°F (18-20°C)</b>

### IRRIGATION

Irrigation Frequency	<b>Level 3: Keep media moderately moist with mild dry cycles</b>
----------------------	--

### LIGHT

Daylength Neutral?	<b>Yes</b>
Supplemental	<b>None</b>
Benefits From Shade?	<b>No</b>

### POTENTIAL DISEASES

Botrytis, Mildew

### POTENTIAL PESTS

Thrips, Fungus Gnats, Aphids

### PGR SUGGESTIONS

- 5-6 days after roots appear, 350ppm Florel (3.9% Ethephon) spray may be applied followed by an optional second application of 350ppm Florel (3.9% Ethephon) 10 days later.
- 1500-2000ppm B-Nine (85% Daminozide) as needed prior to pinch.



'Clockworks'

### TIPS

- Dibble three evenly spaced holes per rooting cell. Holes that are too large or deep will cause uneven rooting from lack of stem-to-root medium contact. Once cuttings are stuck, trays should be sent through a water tunnel to seat/seal the cuttings in the dibble holes to ensure quick uniform rooting.
- A rooting hormone powder or rooting hormone spray (A Hortus IBA Water Soluble Salts spray at 200ppm IBA) is suggested for uniformity of rooting.
- Calibrachoa should receive an acidifying fertilizer to avoid iron deficiency.
- One sticker can stick an entire inner-box of one mix. Stick one cultivar at a time to avoid confusion.

### WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com  
614-850-9551  
[DummenOrange.com](http://DummenOrange.com)

ANNUAL  
FINISHING

# CONFETTI GARDEN® TIKTOK®

*Multi-Cultivar Combination*



CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

**6 in. (15 cm)**                      **1**                      **3-5**

**8 in. (19 cm)**                      **1**                      **5-7**

**12 in. (30 cm)**                    **2-3**                    **7-10**

## FERTILITY

Fertilizer Rate                      **150-200 ppm N**

EC Range                              **High: (3.5-5 mS via SME)**

pH Range                              **5.6-6.2**

## TEMPERATURE

Day Temperature                    **65-73°F (18-23°C)**

Night Temperature                  **68-75°F (20-24°C)**

## IRRIGATION

Irrigation Frequency                **Level 3: Keep media moderately moist with mild dry cycles**

## LIGHT

Daylength Neutral?                **Yes**

Optimum Light Level                **4,000-9,000 fc (43,100-96,900 lux)**

Supplemental                        **Optional**

Benefits From Shade?              **No**

## PINCHING

Finishing Pinch?                    **Yes**

Transplant to Pinch (days)        **7-14**

## POTENTIAL DISEASES

Botrytis, Mildew

## POTENTIAL PESTS

Thrips, Fungus Gnats, Aphids

## PGR SUGGESTIONS

- 500-1000ppm B-Nine (85% Daminozide) + 500-750ppm Cycocel (11.8% Chlormequat) as a tank mix
- 0.5-1ppm Bonzi (0.4% Paclobutrazol) drench



'Time for Fun'

## TIPS

- An acidifying fertilizer with iron is recommended.
- Plant liners upon receipt or within 5 weeks of stick in early season, 4 weeks in later season. Holding liners is detrimental to plant quality.
- No matter the number of liners placed in a container, they should all be placed in the center, not spread out towards the rim of the container. For two or three liners, they should be clustered in the center separated only slightly.
- Use a complete NPK fertilizer such as 20-10-20. Confetti Garden® grown outdoors require additional fertilizer to compensate for outdoor rain.
- Additional pinching during production greatly improves branching and plant form of Confetti Garden® at finish. A light trim/pinch several weeks after transplant is highly suggested. Trimming and manicuring plants early in production produces a fuller, more balanced Confetti Garden®, as opposed to early PGR applications.

## WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

[DummenOrange.com](http://DummenOrange.com)

ANNUAL

## FEATURES AND BENEFITS

# CONFETTI GARDEN® TIKTOK®

*Multi-Cultivar Combination*



### KEY INFORMATION

Consumer Watering Instructions	<b>Keep soil evenly moist, but not saturated.</b>
Bloom Time	<b>Blooms Spring to Autumn</b>
Exposure	<b>Full Sun to Part Shade</b>
Height	<b>8-12 inches (20-30 cm)</b>
Garden Spacing	<b>10-18 inches (25-46 cm)</b>

### DESCRIPTION

Happiness blooms with Confetti Garden®, the original mixed-flower garden and home decorating solution.



'Time for Summer'

### CONSUMER APPEAL

- You can plant your Confetti Garden® combinations in containers, hanging baskets or window boxes.
- The original multi-liner solution, Confetti Garden® mixes of two or three different plants grow into a spectacular singular planting.

### GARDEN ATTRIBUTES

- A one-stop-shop for bold splashes of color.
- Combine a few different Confetti Garden® mixes to bring varying shades of color and texture to your décor.
- Garden-ready containers, these mixes may also be planted in the landscape for great focal-point garden pieces weaving spectacular plants into the landscape.
- A myriad of options are available, featuring our toughest varieties in an endless range of color schemes and combinations. Forward gardeners to [www.ConfettiGarden.com](http://www.ConfettiGarden.com) for detailed plant-care information.



'Time for Blastoff'

### WE'RE HERE TO HELP YOU GROW

[Tech.NA@DummenOrange.com](mailto:Tech.NA@DummenOrange.com)

614-850-9551

[DummenOrange.com](http://DummenOrange.com)