PROPAGATION

N G IMPATIENS ROLLER COASTER

Impatiens hawkeri



Cotton Candy, Dark Coral, Hot Pink, Magenta, Orangeya Shakin', Red Racer, Tangy Taffy, Valravn Violet 2022, White Lightning



TRAY & ROOTING

Vegetative Cutting (URC) Form

4

Rooting Hormone? No

Tray Size 50, 72, 84, 105

Plants Per Cell 1

Days In Mist 5-6

Wks. From Stick To

Transplant

Propagation Pinch? No N/A

Weeks To Pinch

FERTILITY

Fertilize Through Mist? None

Fertilizer Rate 50-100ppm N

Low: (0.8-2.0 mS via EC Range

SME)

pH Range 5.6-6.2

TEMPERATURE

Average Soil Temp 70-75°F (21-24°C) Average Air Temp (Day) 70-75°F (21-24°C) 65-68°F (18-20°C) Average Air Temp(Night)

IRRIGATION

Level 4: Keep media moderately moist at all Irrigation Frequency times

LIGHT

Daylength Neutral? Yes Supplemental None Benefits From Shade? Yes

POTENTIAL DISEASES

Pythium, Rhizoctonia, Powdery Mildew

POTENTIAL PESTS

Fungus Gnats, Mites, Shore Flies

PGR SUGGESTIONS

• Florel (3.9% Ethephon) 125-300ppm 5 days after stick

TIPS

- Avoid excessive mist to control stretch.
- Water stress in propagation can delay flowering and compromise the overall quality of the liner; maintain even moisture in propagation.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551 DummenOrange.com

FINISHING

N G IMPATIENS ROLLER COASTER

Impatiens hawkeri



CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
4 in. (10 cm)	1	7-9
6 in. (15 cm)	1	8-10
8 in. (19 cm)	2	9-11
FERTILITY		
Fertilizer Rate	100-150 ppm N	
EC Range	Low: (0.8-2.0 mS via SME)	
pH Range	5.6-6.2	
TEMPERATURE		
Day Temperature	65-73°F (18-23°C)	
Night Temperature	68-75°F (20-24°C)	
IRRIGATION		
Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles	
LIGHT		
Daylength Neutral?	Yes	
Optimum Light Level	4,000-8,000 fc (43,100- 86,100 lux)	
Supplemental	None	

Transplant to Pinch (days)	N/A
POTENTIAL DISEASES	

Benefits From Shade?

PINCHING

Finishing Pinch?

Pythium, Rhizoctonia, Powdery Mildew

POTENTIAL PESTS

Fungus Gnats, Mites, Shore Flies

PGR SUGGESTIONS

• NGIs do not require PGR applications with good growing conditions. Plant height is best controlled with a negative DIF or morning DIP when needed to keep plants compact.

No

No



'Red Racer'

TIPS

- Avoid late Bonzi (0.4% Paclobutrazol) drenches.
- High light, controlled water stress, and moderate-high air temperatures can help supplement the use of PGRs.
- Good soil aeration is important for preventing root rot type diseases. Use soil mixes that have a high porosity. This can be accomplished with aggregate content at 30-40% of the mix.
- Pinching is not recommended in the finishing phase of production. Pinching will remove the center bud and add 3-4 weeks to the crop cycle.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551

DummenOrange.com

FEATURES AND BENEFITS

N G IMPATIENS ROLLER COASTER

 $Impatiens\ hawkeri$



KEY INFORMATION

Primary Common Name **New Guinea Impatiens**

Consumer Watering Keep soil evenly moist, but

Instructions **not saturated.**

Bloom Time Blooms Spring to Autumn

Exposure Part Shade to Full Shade

Height **8-16 inches (20-41 cm)**

Garden Spacing 12-16 inches (30-41 cm)

DESCRIPTION

Rollercoaster is a unique New Guinea Impatiens series that boast large flowers with double petals and a ruffled margin. These flowers create a three-dimensional effect in the garden.



'Tangy Taffy'

CONSUMER APPEAL

- Loads of color throughout the growing season.
- A proven performer with a profuse flower set.

GARDEN ATTRIBUTES

- Great uniform series perfect for mass-plantings or focalpoint accents.
- Inject a dose of tropical pizazz into the garden with these New Guinea Impatiens. Works well with other Dümmen Orange annuals that appreciate even moisture.
- Can be overwintered through zones 10-12.

NATIVITY

Of hybrid origin: parental lineages native to Papua New Guinea and the Solomon Islands.



'Hot Pink'

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551

DummenOrange.com