PROPAGATION

Erysimum Intense

Erysimum linifolium

TRAY & ROOTING

Form Unrooted Cuttings

(URC)

Rooting Hormone **Yes**

Tray Size(s) **72, 105**

Plants Per Cell 1

Wks. From Stick To

Transplant

4-6

Pinch? **No**

Days from stick to pinch N/A

FERTILITY

Fertilize Through Mist? **No**

100-150 ppm N (20-6-22

Fertilizer Rate or 22-5-16 [15-0-15

under low-light conditions])

EC Range 1.0-1.25 mS via SME

pH Range **5.8-6.2**

TEMPERATURE

Average Soil Temperature 70-72°F (21-22°C)

Average Air Temperature 65-72°F (18-22°C)

IRRIGATION

Level 3: Keep media

 $moderately\ moist\ with$

mild dry cycles - do not

overmist

LIGHT

Supplemental No

Benefits From Shade? **No**

POTENTIAL DISEASES

Irrigation Frequency

Downy mildew, Powdery mildew, Pythium

POTENTIAL PESTS

aphids, thrips, Whitefly

PGR SUGGESTIONS

None



CULTIVAR LIST

Brilliance, Joy, Passion, Sunrise



'Joy'

TIPS

- As with all vegetative cuttings, sticking upon arrival is ideal. If this isn't possible, store in a cooler at 45° F (7°C) for no more than 16 hours after delivery.
- Reduce mist as soon as cuttings become turgid (generally 1-2 days after stick). Avoid overmisting and overwatering.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551

DummenOrange.com

FINISHING

Erysimum Intense

Erysimum linifolium



Optional Vernalization Required?

Vernalization Duration

Minimum

6-8 weeks

Vernalization Temperature 35-40°F (1.6-4.4°C)

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
6 in./Gal. (15-16 cm)	1	9-12
8-10 in. (19-22 cm)	2-4	11-13
FERTILITY		

150-200 ppm N (20-6-22 or 22-5-16

Fertilizer Rate [15-0-15 under low-light

conditions])

Moderate: (2.0-3.5 mS via SME) EC Range

pH Range 5.8-6.2

TEMPERATURE

Day Temperature 55-65°F (13-18°C) Night Temperature 45-55°F (7-13°C)

IRRIGATION

Level 2: Allow media to dry moderately between thorough Irrigation Frequency

waterings



Photoperiodic **Daylength Neutral** requirements

Supplemental? None

Benefits From Shade? No

PINCHING

Finishing Pinch? **Optional**

Transplant to pinch (days) N/A

POTENTIAL DISEASES

Downy Mildew, Powdery Mildew, Pythium, bacterial infections

POTENTIAL PESTS

aphids, thrips, Whitefly

PGR SUGGESTIONS

- 20-30 ppm Bonzi (0.4% Paclobutrazol) spray if needed
- 5-10 ppm Sumagic (0.055% Uniconazole) spray if needed





'Sunrise'

- Saturated soil media should be avoided at all costs.
- Maintain cool temperature to avoid early flowering. Pairs well with pansy production.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551

DummenOrange.com

FEATURES AND BENEFITS

Erysimum Intense

Erysimum linifolium

KEY INFORMATION

First Year Flowering? Yes

Bloom Time Early Spring to Early Summer

Exposure Full Sun

Hardiness Zone **6-9**

Height **12-14 inches (30-36 cm)**

Width 14 inches (36 cm)

Excellent drought-tolerant garden choice. New breeding incorporates a compact habit and earlier flowering without the need for a cold treatment.

CONSUMER APPEAL

- Drought toloerant
- A long flowering window with bright clustered flowers make a showy display
- Excellent season opener

GARDEN ATTRIBUTES

- This perennial is a very versatile addition to most gardens. It can thrive in both moist rich soils and dry rocking soils. Once established, this perennial is very drought tolerant.
- Very floriferous, deadheading will promote reblooming
- Excellent alpine, rock plant. Tolerates cool climates well.

COMPANION PLANTS

COMMON NAME(S)

Wallflower



'Passion'

NATIVITY

Exposed slopes in northern and central Spain and northern Portugal.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551

DummenOrange.com