PERENNIAL PROPAGATION **Erysimum WallArt**

Erysimum linifolium

TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	Yes
Tray Size(s)	72, 105
Plants Per Cell	1
Wks. From Stick To Transplant	4-6
Pinch?	No
Days from stick to pinch	N/A

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	100-150 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	1.0-1.25 mS via SME
pH Range	5.8-6.2
TEMPERATURE	
Average Soil Temperature	70-72°F (21-22°C)
Average Air Temperature	65-72°F (18-22°C)
IRRIGATION	
Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles - do not overmist
LIGHT	
Supplemental	No
Benefits From Shade?	No
POTENTIAL DISEASES	
Downy mildew, Powdery n	nildew, Pythium
POTENTIAL PESTS	
aphids, thrips, Whitefly	N
PGR SUGGESTIONS	2
• None	e I

DÜMMEN ORANGE

CULTIVAR LIST

Berry Lemonade, Citric, Lavender, Pearl, Pink Lemonade



'Berry Lemonade'

TIPS

- As with all vegetative cuttings, sticking upon arrival is ideal. If this isn't possible, store in a cooler at 45° F (7°C) for no more than 16 hours after delivery.
- Reduce mist as soon as cuttings become turgid (generally 1-2 days after stick). Avoid overmisting and overwatering.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551 DummenOrange.com

PERENNIAL FINISHING **Erysimum WallArt**

Erysimum linifolium

VERNALIZATION		
Vernalization Required?	Optional	
Vernalization Duration Minimum	6-8 weeks	
Vernalization Temperature	35-40°F (1.	6-4.4°C)
CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
6 in./Gal. (15-16 cm)	1	9-12
8-10 in. (19-22 cm)	2-4	11-13
FERTILITY		
Fertilizer Rate	150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])	
EC Range	Moderate: (2.0-3.5 mS via SME)	
pH Range	5.8-6.2	
TEMPERATURE		
Day Temperature	55-65°F (13-18°C)	
Night Temperature	45-55°F (7-13°C)	
IRRIGATION		
Irrigation Frequency	Level 2: Allow media to dry moderately between thorough waterings	
LIGHT		
Photoperiodic requirements	Daylength	Neutral
Supplemental?	None	
Benefits From Shade?	No	
PINCHING		
Finishing Pinch?	Optional	
Transplant to pinch (days)	N/A	
POTENTIAL DISEASES		
Downy Mildew, Powdery Mi	ldew, Pythiun	n, bacterial infections
POTENTIAL PESTS		
aphids, thrips, Whitefly		

PGR SUGGESTIONS

- 20-30 ppm Bonzi (0.4% Paclobutrazol) spray if needed
- \bullet 5-10 ppm Sumagic (0.055% Uniconazole) spray if needed





TIPS

- Saturated soil media should be avoided at all costs.
- Maintain cool temperature to avoid early flowering. Pairs well with pansy production.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551 DummenOrange.com

PERENNIAL FEATURES AND BENEFITS **Erysimum WallArt**

Erysimum linifolium

KEY INFORMATION

First Year Flowering?	Yes
Bloom Time	Early Spring to Early Summer
Exposure	Full Sun
Hardiness Zone	6-9
Height	12-16 inches (30-41 cm)
Width	18 inches (46 cm)

Excellent drought-tolerant garden choice. New breeding incorporates a compact habit and earlier flowering without the need for a cold treatment.

CONSUMER APPEAL

- Drought toloerant
- A long flowering window with bright clustered flowers make a showy display
- Excellent season opener

GARDEN ATTRIBUTES

- This perennial is a very versatile addition to most gardens. It can thrive in both moist rich soils and dry rocking soils. Once established, this perennial is very drought tolerant.
- Very floriferous, deadheading will promote reblooming
- Excellent alpine, rock plant. Tolerates cool climates well.



COMPANION PLANTS

COMMON NAME(S) Wallflower



'Pink Lemonade'

NATIVITY

Exposed slopes in northern and central Spain and northern Portugal.

WE'RE HERE TO HELP YOU GROW

Zoltan Kovacs - Product Manager Z.Kovacs@DummenOrange.com 614-850-9551 DummenOrange.com