PROPAGATION

Achillea Open Cultivar(s)

Achillea millefolium

CUITIVAR LIST

Terracotta



Unrooted Cuttings (URC)

Rooting Hormone

Yes

Tray Size(s)

72, 105

Plants Per Cell

1

Wks. From Stick To

4-5

Transplant

Pinch?

Yes

Days from stick to pinch

17-21

FERTILITY

Fertilize Through Mist?

100-150 ppm N (20-6-22

Fertilizer Rate

or 22-5-16 [15-0-15

under low-light

conditions])

EC Range

Moderate: (2.0-3.5 mS

via SME)

pH Range

5.8-6.2

TEMPERATURE

Average Soil Temperature 65-72°F (18-22°C)

Average Air Temperature **65-72°F (18-22°C)**

IRRIGATION

Level 3: Keep media

Irrigation Frequency

moderately moist with

mild dry cycles

LIGHT

Supplemental

No

Benefits From Shade?

No

POTENTIAL DISEASES

Botrytis

POTENTIAL PESTS

aphids, thrips

PGR SUGGESTIONS

• Optional 300-500 ppm Florel (3.9% Ethephon)

TIPS

- As with all vegetative cuttings, sticking upon arrival is ideal. If this isn't possible, store in a cooler at 45° F (7°C) for no more than 16 hours after delivery.
- Reduce mist as soon as cuttings become turgid (generally 1-2 days after stick). Avoid overmisting and overwatering.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551

DummenOrange.com



FINISHING

Achillea Open Cultivar(s)

Achillea millefolium



Vernalization Required? Yes

Vernalization Duration

Minimum

6-8 weeks

Vernalization Temperature 35-40°F (1.6-4.4°C)

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
6 in./Gal. (15-16 cm)	1	7-9
8-10 in. (19-22 cm)	2-3	8-10
FERTILITY		

Fertilizer Rate 150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])

EC Range Moderate: (2.0-3.5 mS via SME)

pH Range **5.5-6.1**

TEMPERATURE

Day Temperature **55-65°F (13-18°C)**Night Temperature **45-55°F (7-13°C)**

IRRIGATION

Photoperiodic

Level 2: Allow media to dry moderately between thorough waterings

LIGHT

requirements

Long day: 12+ hours daily

Supplemental?

Optional Daylength Extension

Benefits From Shade?

No

PINCHING

Finishing Pinch?

No

N/A

POTENTIAL DISEASES

Transplant to pinch (days)

Botrytis

POTENTIAL PESTS

aphids, thrips

PGR SUGGESTIONS

- 1-2 ppm Bonzi (0.4% Paclobutrazol) drench as needed
- 2500 ppm B-Nine (85% Daminozide) as needed

TIPS

- Vernalization is most effective if completed in pots 4-6 weeks after plants have been transplanted into their finishing container.
- Apply PGRs just before flowering.
- If finishing under short days, supplemental lighting may be provided to expedite flowering.
- Saturated soil media should be avoided at all costs.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551

DummenOrange.com



FEATURES AND BENEFITS

Achillea Open Cultivar(s)

Achillea millefolium



Salvia, Gaillardia, Perovskia, Lavandula, Oenothera, Nepeta, Penstemon

COMMON NAME(S)

yarrow, old man's pepper, plumajillo



KEY INFORMATION

First Year Flowering? No

I

Bloom Time

Summer to Autumn

Exposure

Full Sun

Hardiness Zone

4-9

Height

14-24 inches (36-60 cm)

Width

36 inches (90 cm)

DESCRIPTION

Excellent drought-tolerant garden choice. New breeding incorporates a compact habit and earlier flowering without the need for a cold treatment.

CONSUMER APPEAL

- The fragrant inflorescence of Achillea helps to attract multiple pollinators including butterflies and bees.
- Aromatic foliage (similar to that of a Chrysanthemum) is enjoyable to many consumers while adding to its rabbit and deer resistant properties.



'Terracotta'

GARDEN ATTRIBUTES

- Yarrow makes an excellent cut flower and an even better dried flower for enjoyment 365 days a year.
- An ideal component of any cottage garden, prairie garden, meadow garden, or a naturalized area. Achillea can be planted by mailboxes, driveways, and roadsides due to its salt tolerance.
- An easy-to-grow prairie-like perennial that tolerates a wide range of conditions but prefers well-drained soil and full sun conditions. Can be grown in clay if not overwatered.
- Plants can be sheared or mowed on a regular basis to promote branching and keep the plant compact and well-behaved.

NATIVITY

Achillea is native to the temperate regions of the Northern Hemisphere including Europe, Asia, and North America.

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com 614-850-9551 DummenOrange.com