

PERENNIAL

## PROPAGATION

# *Lysimachia Open Cultivar(s)*

*Lysimachia nummularia*



### TRAY & ROOTING

Form	<b>Unrooted Cuttings (URC)</b>
Rooting Hormone	<b>No</b>
Tray Size(s)	<b>72, 105</b>
Plants Per Cell	<b>1</b>
Wks. From Stick To Transplant	<b>3-4</b>
Pinch?	<b>Yes</b>
Days from stick to pinch	<b>14-21</b>

### CULTIVAR LIST

Creeping Jenny Green, Goldi

### FERTILITY

Fertilize Through Mist?	<b>No</b>
Fertilizer Rate	<b>50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])</b>
EC Range	<b>Low: (0.8-2.0 mS via SME)</b>
pH Range	<b>5.8-6.2</b>

### TEMPERATURE

Average Soil Temperature	<b>65-72°F (18-22°C)</b>
Average Air Temperature	<b>65-72°F (18-22°C)</b>

### IRRIGATION

Irrigation Frequency	<b>Level 3: Keep media moderately moist with mild dry cycles</b>
----------------------	--

### LIGHT

Supplemental	<b>No</b>
Benefits From Shade?	<b>Yes</b>

### POTENTIAL DISEASES

Botrytis

### POTENTIAL PESTS

aphids, whitefly

### PGR SUGGESTIONS

- Optional 300-500 ppm Florel (3.9% Ethephon)
- Optional 5-6 ppm Sumagic (0.055% Uniconazole)



'Goldi'

### TIPS

- Avoid dry soil media, plants will not recover after they have wilted.

PERENNIAL

FINISHING

# *Lysimachia Open Cultivar(s)*

*Lysimachia nummularia*



## VERNALIZATION

Vernalization Required? **No**

Vernalization Duration Minimum **N/A**

Vernalization Temperature **N/A**

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
----------------	----------------	------------------------------

<b>4 in./qt (10-12 cm)</b>	<b>1</b>	<b>4-5</b>
----------------------------	----------	------------

<b>6 in./Gal. (15-16 cm)</b>	<b>2-3</b>	<b>5-8</b>
------------------------------	------------	------------

## FERTILITY

Fertilizer Rate 100-150 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])

EC Range **Moderate: (2.0-3.5 mS via SME)**

pH Range **5.8-6.2**

## TEMPERATURE

Day Temperature **65-75°F (18-24°C)**

Night Temperature **55-65°F (13-18°C)**

## IRRIGATION

Irrigation Frequency **Level 3: Keep media moderately moist with mild dry cycles**

## LIGHT

Photoperiodic requirements **Long day: 12+ hours daily**

Supplemental? **None**

Benefits From Shade? **Yes**

## PINCHING

Finishing Pinch? **Yes**

Transplant to pinch (days) **14-21**

## POTENTIAL DISEASES

Botrytis,

## POTENTIAL PESTS

aphids, whitefly

## PGR SUGGESTIONS

- 3-5 ppm Bonzi (0.4% Paclobutrazol) drench
- 3750 ppm B-Nine (85% Daminozide)



'Creeping Jenny Green'

## TIPS

- As soon as pots are full, ship to avoid excessive runners and unnecessary tangle.

PERENNIAL

## FEATURES AND BENEFITS

# *Lysimachia Open Cultivar(s)*

*Lysimachia nummularia*



### KEY INFORMATION

First Year Flowering?	<b>Yes</b>
Bloom Time	<b>Late Spring to Mid Summer</b>
Exposure	<b>Part Shade to Shade</b>
Hardiness Zone	<b>4-9</b>
Height	<b>2-4 inches (5-10 cm)</b>
Width	<b>24-48 inches (60cm-120 cm)</b>

### DESCRIPTION

Creeping to trailing, *Lysimachia* delivers bright foliage, striking colors, and tough tolerance across North America.

### CONSUMER APPEAL

- The bright chartreuse foliage of this spreading groundcover makes it the perfect piece to brighten up dark areas of the garden.

### GARDEN ATTRIBUTES

- *Lysimachia* is a wonderfully versatile perennial comfortable in containers, shady groundcover locations (even under trees and shrubs), shaded rock gardens, rain gardens, along ponds, and much more.
- Tolerant of wet to well drained soils. Can handle heavy clay and competition with tree root systems once established. Drought tolerant once established.
- Unless grown under absolutely ideal conditions, creeping Jenny is not dense enough to smother weeds.

### NATIVITY

Europe

### COMPANION PLANTS

*Buddleia, Paeonia, Eupatorium(Ageratina), Alstroemeria, Monarda, Agastache, Helleborus, Heuchera*

### COMMON NAME(S)

creeping Jenny, moneywort herb twopence, twopenny thot



### WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

[DummenOrange.com](https://www.DummenOrange.com)