

PERENNIAL

PROPAGATION

Salvia Open Cultivar(s)

Salvia nemorosa



TRAY & ROOTING

Form	Unrooted Cuttings (URC)
Rooting Hormone	Yes
Tray Size(s)	72, 105
Plants Per Cell	1
Wks. From Stick To Transplant	6-8
Pinch?	Yes
Days from stick to pinch	21-28

FERTILITY

Fertilize Through Mist?	No
Fertilizer Rate	50-75 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.8-6.2

TEMPERATURE

Average Soil Temperature	65-72°F (18-22°C)
Average Air Temperature	65-72°F (18-22°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Supplemental	Optional
Benefits From Shade?	No

POTENTIAL DISEASES

Botrytis, root and stem rot, bacterial leaf spot

POTENTIAL PESTS

whitefly, aphids

PGR SUGGESTIONS

- Optional 300-500 ppm Florel (3.9% Ethephon)
- Optional 2-3 ppm Sumagic (0.055% Uniconazole)

CULTIVAR LIST

Blue Hills, Blue Marvel, Caradonna, Caramia, East Friesland, Marcus®



'Caradonna'

TIPS

- Reduce mist as soon as possible when cutting become turgid.

PERENNIAL

FINISHING

Salvia Open Cultivar(s)

Salvia nemorosa



VERNALIZATION

Vernalization Required?	No
Vernalization Duration Minimum	N/A
Vernalization Temperature	N/A

CONTAINER SIZE	PLANTS PER POT	TRANSPLANT TO FINISH (WEEKS)
4 in./qt (10-12 cm)	1	7-10
6 in./Gal. (15-16 cm)	1-2	9-12
10 in. (22 cm)	3	11-13

FERTILITY

Fertilizer Rate	150-200 ppm N (20-6-22 or 22-5-16 [15-0-15 under low-light conditions])
EC Range	Moderate: (2.0-3.5 mS via SME)
pH Range	5.8-6.2

TEMPERATURE

Day Temperature	65-75°F (18-24°C)
Night Temperature	55-65°F (13-18°C)

IRRIGATION

Irrigation Frequency	Level 3: Keep media moderately moist with mild dry cycles
----------------------	--

LIGHT

Photoperiodic requirements	Long day: 12+ hours daily
Supplemental?	None
Benefits From Shade?	No

PINCHING

Finishing Pinch?	Yes
Transplant to pinch (days)	14-21

POTENTIAL DISEASES

Botrytis, root and stem rot, bacterial leaf spot, ,

POTENTIAL PESTS

whitefly, aphids,

PGR SUGGESTIONS

- 6-8 ppm Sumagic (0.055% Uniconazole)
- 2500-3750 ppm B-Nine (85% Daminozide) as needed
- 2-3 ppm Bonzi (0.4% Paclobutrazol) drench as needed



'Marcus'

TIPS

- Avoid overwatering. Proper spacing, air circulation, and medium-high EC helps promote branching and tones the plant.
- Long days will accelerate flowering.
- Cool temperatures can be used to maintain a compact habit.

PERENNIAL

FEATURES AND BENEFITS

Salvia Open Cultivar(s)

Salvia nemorosa



KEY INFORMATION

First Year Flowering?	Yes
Bloom Time	Summer
Exposure	Full Sun
Hardiness Zone	4-8
Height	12-24 inches (30-60 cm)
Width	12 inches (30 cm)

DESCRIPTION

Old classics and new superstars, Salvia is one of the most widespread perennials on the market.

CONSUMER APPEAL

- Salvia is one of the easiest perennials to grow, especially for gardeners whose maintenance strategy is "benign neglect".
- With its considerable flower power and strikingly full racemes/panicles, Salvia has no issues attracting pollinators like bees and butterflies. Its unmistakable foliage scent is a natural deterrent to rabbits and deer.

GARDEN ATTRIBUTES

- Can make a good cut flower and/or dried flower.
- Salvia is the perfect mainstay backbone for a sunny perennial border. Great for cottage gardens, pollinator gardens, in mass plantings, or in containers.
- The Salvia genus prefers well drained soils that go through periodic moist-dry cycles. Poorly drained soils or those that are consistently saturated should be avoided. Soil amendments such as compost or other organic matter can help Salvia thrive in clay soils.
- After the flower stalks have finished their blooming cycle, remove the entire stalk to encourage reblooming.

NATIVITY

Europe and Western Asia

COMPANION PLANTS

Stachys, *Verbena*, *Scabiosa*, *Solidago*,
Oenothera, *Dianthus*

COMMON NAME(S)

woodland sage, Balkan clary, salvia



'East Friesland'

WE'RE HERE TO HELP YOU GROW

Tech.NA@DummenOrange.com

614-850-9551

[DummenOrange.com](https://www.DummenOrange.com)